

UN(2)-Nur.Found. (I & II)
Nur (II)

2024

Full Marks : 75

Time : 3 hours

Answer from **both** the Sections as directed.

The figures in the right-hand margin indicate marks.

Candidates are required to give their answers in their own words as far as practicable.

SECTION—A

(Attempt any two)

1. (a) Define Pressure Sore
- (b) Enlist the causes of Pressure Sore
- (c) Explain the nursing management of client with pressure sore

2 + 3 + 10

(Turn Over)

(2')

2. (a) Define Oxygen Administration
- (b) Explain in detail the different methods of oxygen administration. 3 + 12
3. (a) Enlist the various positions used for comfort and physical examination.
- (b) Explain the uses of various positions used for physical examination. 5 + 10

SECTION-B

4. Write short notes on the following:
(any Seven) 5 × 7
- (a) Factors affecting fluid and electrolyte balance
- (b) Nurses responsibility in storage and maintenance of drug
- (c) Physiological changes that take place after death of patient.
- (d) Common stressors that influence self concept
- (e) Factors affecting sexuality

- (f) Role of Nurse in stress management
- (g) General Adaptation syndrome in stress
- (h) Transcultural Nursing
- (i) Nightingale Theory

5. Fill in the blanks.

1 × 10

- (a) Formation and excretion of urine less than 100 ml in 24 hours is known as _____.
- (b) Difficulty in voiding is known as _____.
- (c) Excessive formation of gases in the stomach or intestine is known as _____.
- (d) Dark or black stool is referred as _____.
- (e) Voiding during sleeping hours is known as _____.

- (f) Medication prepared in glycerine base and is inserted into rectum is known as suppository.
- (g) Urine containing pus is known as pyuria.
- (h) Formation and excretion of urine less than 500 ml in 24 hours is known as oliguria.
- (i) Medications that act directly on the intestine and slow down the bowel motility is known as antiperistaltic.
- (j) Involuntary voiding with no underlying pathophysiological origin is known as encopresis.